



PLAN
0 10 20
1" = 10'-0"


- NOTES:
- EXISTING UTILITY LOCATIONS AND ELEVATIONS SHOWN ARE APPROXIMATE AND SHALL BE CONFIRMED PRIOR TO CONSTRUCTION.
 - UNDERGROUND UTILITY SUPPORTS SHALL BE PROVIDED AT UTILITY CROSSINGS WHEN A VERTICAL CLEARANCE OF 12 INCHES BETWEEN UTILITIES CANNOT BE ACHIEVED. SEE DETAIL 4 CD3
 - 100-YEAR FLOOD PLAIN CONTOUR ESTIMATED BASED ON LIMITED TOPOGRAPHIC SURVEY DATA.
 - LEVEE ROW EXTENTS WERE DEFINED BASED ON A 2014 SURVEY PERFORMED BY GIBBS AND OLSON.
 - DOCK PIPING UPGRADES BY OTHERS. DOCK PIPING TO CAPTURE STORMWATER FROM ENTIRE DOCK.
 - MINIMUM COVER OF 3-FEET OVER GRAVITY AND FORCE MAIN UNLESS NOTED OTHERWISE.
 - RELOCATE (E) WATER AND REPLACE WATER PIPE AND VALVE IN KIND PER CITY OF LONGVIEW STANDARDS 7-09 AND 7-12.




PROFILE SDGM B5 SW-CB
0 10 20 30
HORIZ. 1"=20'
VERT. 1"=4'




PROFILE SDGM B5 SW WEST
0 10 20 30
HORIZ. 1"=20'
VERT. 1"=4'




PROFILE SDGM B5 SW OVERFLOW
0 10 20 30
HORIZ. 1"=20'
VERT. 1"=4'



PROFILE SDFM-4 B5 IW
0 10 20 30
HORIZ. 1"=20'
VERT. 1"=4'



PROFILE SDGM B5 DOCK IW
0 10 20 30
HORIZ. 1"=20'
VERT. 1"=4'




KEY MAP
SCALE: NTS

ISSUED FOR BID

ANY PRINTS NOT BEARING THIS STAMP MAY HAVE BEEN PRINTED PRIOR TO ADVERTISING AND CANNOT BE CONSIDERED AS BID DOCUMENTS. USERS OF THIS DOCUMENT IN EDITABLE ELECTRONIC FORMATS ARE CAUTIONED AGAINST USE WITHOUT FIRST DETERMINING WHETHER CHANGES MAY HAVE BEEN MADE SUBSEQUENT TO ITS PREPARATION.

NO.	REVISION	DATE	BY



DESIGNED: MW
DRAWN: MW
CHECKED: NTW



Longview, Port of WA
STORMWATER AND WASTEWATER IMPROVEMENTS



B5 PIPING PLAN AND PROFILE

FILE NAME	2265002_00-C7.dwg
JOB NO.	2265002.00
DATE	DECEMBER 2022
SHEET OF	C7

